



Water pump pliers

1000 V



YATO	size	
YT-21138	10" (250mm)	6/30

Cable cutter

1000 V



YATO	size	
YT-21139	6" (160mm)	6/60

Combination pliers

1000 V DIN 5746



YATO	size	
YT-21130	6" (160mm)	6/60
YT-21131	7" (180mm)	6/60
YT-21132	8" (200mm)	6/48

Long nose pliers

1000 V DIN 5745



YATO	size	
YT-21133	6" (160mm)	6/60
YT-21134	8" (200mm)	6/48

Diagonal side cutting pliers

1000 V DIN 5749



YATO	size	
YT-21135	5" (140mm)	6/60
YT-21136	6" (160mm)	6/60
YT-21137	7" (180mm)	6/30

Wire stripping pliers

1000
V

DIN
5745


GERMANY



HALF
DOUBLE
BLISTER

YATO	size	cutting size	
YT-21140	6"(160mm)	0.5-2.6mm	6/60

Combination pliers

1000 V DIN 5746 CrV



YATO	size	
YT-21151	6" (160mm)	6/36
YT-21152	7" (180mm)	6/36
YT-21153	8" (200mm)	6/36

Long nose pliers

1000 V DIN 5745 CrV



YATO	size	
YT-21154	6" (160mm)	6/36
YT-21155	8" (200mm)	6/36

Bent nose pliers

1000 V DIN 5745 CrV



YATO	size	
YT-2107	8" (200mm)	6/60

Wire stripping pliers

1000 V DIN 5745 CrV



YATO	size	
YT-21160	6" (160mm)	6/36

Water pump pliers

CrV 1000 V



YATO	size	
YT-21161	10" (250mm)	6/24

Bent nose pliers

1000 V DIN 5745 CrV



YATO	size	
YT-2128	6" (160mm)	4/48
YT-2129	8" (200mm)	4/48

Diagonal side cutting pliers

1000 V DIN 5749 CrV



YATO	size	
YT-21158	6" (160mm)	6/36
YT-21159	7" (180mm)	6/36

Plier sets

4 PCS CrV 1000 V



YATO	product name	size	
YT-39627	combination plier	7" (200mm)	1/8
	long nose plier	6" (160mm)	
	diagonal side cutting pliers	6" (160mm)	
	wire stripping plier	6" (160mm)	

Plier sets

4 PCS CrV 1000 V



YATO	product name	size	
YT-39629	combination plier	7" (180mm)	1/8
	long nose plier	8" (200mm)	
	diagonal side cutting pliers	7" (180mm)	
	water pump plier	10" (250mm)	

Insulated screwdriver



PLASTIC
HANGER



YATO	⊕	L (mm)	shaft(mm)	
YT-28125	PZ1	80	5.5	12/204
YT-28126	PZ2	100	6.5	6/252

Insulated screwdriver



YATO	⊖	L (mm)	shaft(mm)	
YT-28130	2.5	75	2.5	12/300
YT-28131	3.0	100	3	12/252
YT-28132	3.5	100	3.5	12/252
YT-28133	4.0	100	4	12/204
YT-28134	5.5	125	5.5	12/180
YT-28135	6.5	150	6.5	6/252
YT-28136	8.0	175	8	12/96

Insulated screwdriver



YATO	⊕	L (mm)	shaft(mm)	
YT-28140	PH0	60	3	12/240
YT-28141	PH1	80	5.5	12/204
YT-28142	PH2	100	6.5	12/156
YT-28143	PH2	150	6.5	12/132
YT-28144	PH3	150	8	6/252

Insulated screwdriver



YATO	⊕	L (mm)	shaft(mm)	
YT-2825	PZ1	80	4.5	12/120
YT-2826	PZ2	100	6	12/120

Insulated screwdriver



YATO	⊕	L (mm)	shaft(mm)	
YT-28145	PZ0	60	3	12/252
YT-28146	PZ1	80	5.5	12/204
YT-28147	PZ2	100	6.5	12/252
YT-28148	PZ2	150	6.5	12/252
YT-28149	PZ3	150	8	12/252

Insulated screwdriver



YATO	⊖	L (mm)	shaft(mm)	
YT-2815	3.0	75	3	12/120
YT-2816	4.0	75	4	12/120
YT-2817	4.0	100	4	12/120
YT-2818	5.5	125	5.5	12/120
YT-2819	6.5	150	6.5	12/120
YT-2820	8.0	175	8	12/120

Insulated screwdriver



YATO	⊕	L (mm)	shaft(mm)	
YT-2821	PH0	60	3	12/120
YT-2822	PH1	80	4.5	12/120
YT-2823	PH2	100	6	12/120
YT-2824	PH3	150	8	12/120

Insulated screwdriver set



YATO	⊖	⊕	L (mm)	
YT-2827	3.0		75	3/20/40
	4.0		100	
	5.5		125	
		PH1	80	
		PH2	100	

Insulated screwdriver set



YATO	⊖	⊕	⊕	L (mm)	
YT-2828	3.0			75	3/20/40
	4.0			100	
	5.5			125	
		PH1		80	
		PH2		100	
			PZ1	80	
			PZ2	100	

Voltage tester



125-250
V~



YATO			L (mm)	
YT-2830	4	190	12/144	

Insulated tool set



3/8" 1000
V CrV



- 3/8" :8,10,12,13,14,17,19,22mm;
- 3/8" (6",10");
- 3/8" (9.5 mm);
- 3/8" (210 mm);
- 3/8" (4,5,6,8 mm);

YATO		
YT-3863V	1/6	

Voltage tester



125-250
V~



YATO			L (mm)	
YT-28301	3	140	20/400	

Insulated tool set




1000
V CrV



- 1/4" :5/16" :3/8" :1/2" :9/16" ; 3/8" :7,8,10,12,14 ;
- 3/8" (10 mm); 7 mm;8 mm;10 mm;12 mm;14 mm;
- L (200 mm); L (165 mm);
- L (220 mm); L (220 mm);
- 0.8x4x100mm;1.0x5.5x125mm;
- PH1x100mm;PH2x100;
- 3/8" (10 mm); 3/8" (10 mm);

YATO		
YT-3875V	1/4	

Insulated tool set



1/2" 1000
V CrV




- 1/2" :10,11,12,13,14,17,19,22,24,27,30mm;
- 1/2" (5.5",10");
- 1/2" (12.5 mm);
- 1/2" (210 mm);
- 1/2" (4,5,6,8,10 mm);

YATO		
YT-3869V	1/6	

Insulated hexagon socket



CrV 1000
V



YATO	H	L1 (mm)	L2 (mm)	Ø (mm)	
YT-21095	3/8" (9.5 mm)	207	160	15.6	4/32
YT-21096	1/2" (12.7 mm)	207	160	19.3	4/32

VDE Insulated screwdrivers set

12 PCS CrV 1000 V

NYLON CASE & POLYBAG



- 2.0,2.5,3.0,3.5,4.0,5.5,6.5mm
- PH0x100,PH1x100,PH2x100

YATO	
YT-28290	24

VDE Insulated screwdrivers set

50 PCS CrV 1000 V

NYLON CASE & POLYBAG



- 2.0,2.5,3.0,3.5,4.0,5.5,6.5mm
 - PH0x100,PH1x100,PH2x100
 - PZ0,PZ1,PZ2
 - T6,T8,T9,T10,T15,T20,T25,T27,T30
 - H2.5,H3.0,H4.0,H5.0,H6.0
 - R1,R2
 - TR1,TR2,TR3,TR4
 - TOR04,TOR06,TOR08,TOR10
 - M4,M5,M6
 - 4,6,8,10
 - 6.3,8.1
 - 1pc
 - 1pc
- Voltage tester : 1pc
hand shank : 1pc

YATO	
YT-28293	10

Insulated adjustable wrench

CrV 1000 V




POLYBAG

YATO	size(mm)	L(mm)	
YT-20940	8"	200	6
YT-20941	10"	250	6
YT-20942	12"	300	6

Insulated open end wrench

CrV 1000 V




POLYBAG

YATO	Ø (mm)	L (mm)	B (mm)	S (mm)	
YT-20950	6	90	23	7.0	6/108
YT-20951	7	90	25	7.0	6/108
YT-20952	8	100	27	7.5	6/108
YT-20953	9	100	29	7.5	6/108
YT-20954	10	110	31	8.0	6/108
YT-20955	11	110	34	8.5	6/108
YT-20956	12	130	36	8.5	6/108
YT-20957	13	135	39	10.5	6/108
YT-20958	14	145	40	10.5	6/72
YT-20959	15	150	42	11.5	6/72
YT-20960	16	160	43	11.5	6/72
YT-20961	17	160	47	12.5	6/72
YT-20962	18	175	50	13.0	6/72
YT-20963	19	175	53	14.0	6/72
YT-20964	21	195	55	14.0	6/66
YT-20965	22	195	58	14.0	6/66
YT-20966	24	225	62	16.5	6/66
YT-20967	27	250	69	18.0	4/60
YT-20968	30	290	75	19.0	4/48
YT-20969	32	310	79	20.0	4/48

Insulated hex key

CrV 1000 V


POLYBAG



YATO	Ø (mm)	a (mm)	b (mm)	
YT-21120	3.0	25	130	12/144
YT-21121	4.0	40	140	12/144
YT-21122	5.0	45	160	12/144
YT-21123	6.0	47	180	10/120
YT-21125	8.0	50	200	10/120
YT-21126	10.0	52	235	6/48
YT-21127	12.0	60	260	6/48

Insulated ring wrench

CrV 1000 V



POLYBAG

YATO	Ø (mm)	L (mm)	B (mm)	S (mm)	
YT-20980	6	150	16.0	5.5	6/126
YT-20981	7	150	18.0	5.7	6/126
YT-20982	8	155	19.0	6.1	6/126
YT-20983	9	155	20.0	7.2	6/126
YT-20984	10	170	21.0	7.3	6/90
YT-20985	11	170	22.5	7.7	6/90
YT-20986	12	190	22.5	8.5	6/90
YT-20987	13	190	26.5	9.0	6/90
YT-20988	14	205	28.0	9.5	6/90
YT-20989	15	205	29.0	9.5	6/90
YT-20990	16	215	31.0	10.2	6/90
YT-20991	17	215	32.0	10.7	6/90
YT-20992	18	230	35.0	11.5	6/90
YT-20993	19	230	36.0	12.0	6/90
YT-20994	21	245	39.0	13.0	6/48
YT-20995	22	245	41.0	12.2	6/48
YT-20996	24	265	44.0	13.0	6/48
YT-20997	27	290	48.0	14.5	4/40
YT-20998	30	310	52.0	15.2	4/40
YT-20999	32	310	55.0	16.5	4/40

Insulated reversible ratchet

CrV 1000 V 72T




POLYBAG



YATO	Ø	size	L (mm)	
YT-21071	3/8"	72T	200	4
YT-21072	1/2"	72T	250	4

Insulated hexagon socket

3/8" CrV 1000 V



POLYBAG



YATO	Ø A (mm)	D1 (mm)	D2 (mm)	L1 (mm)	L2 (mm)	
YT-21008	8	18	15.1	45	28	7/126
YT-21010	10	18	18.7	45	28	7/126
YT-21011	11	18	20.0	45	28	7/126
YT-21012	12	18	21.2	45	28	7/126
YT-21013	13	18	22.5	45	28	7/126
YT-21014	14	18	23.7	45	28	7/126
YT-21016	16	18	26.2	45	28	7/126
YT-21017	17	18	27.5	45	28	7/126
YT-21018	18	18	28.7	45	30	5/90
YT-21019	19	18	30.0	47	30	5/90
YT-21021	21	18	32.6	47	30	5/90
YT-21022	22	18	33.7	47	30	5/90

Insulated hexagon socket

CrV 1000 V



POLYBAG



YATO	Ø	L (mm)	
YT-21055	3/8"	125	4
YT-21056	3/8"	250	4
YT-21057	1/2"	125	4
YT-21058	1/2"	250	4

Insulated hexagon socket

1/2" CrV 1000 V




POLYBAG



YATO	Ø A (mm)	D1 (mm)	D2 (mm)	L1 (mm)	L2 (mm)	
YT-21030	10	27	19.5	55	38	12/144
YT-21031	11	27	20.7	55	38	12/144
YT-21032	12	27	22.0	55	38	12/144
YT-21033	13	27	23.2	55	38	12/144
YT-21034	14	27	24.5	55	38	12/144
YT-21036	16	27	27.0	55	38	12/144
YT-21037	17	27	28.5	55	38	12/144
YT-21038	18	27	29.5	55	38	12/144
YT-21039	19	27	30.7	55	38	12/144
YT-21041	21	27	33.2	55	38	10/110
YT-21042	22	27	34.5	55	38	10/110
YT-21044	24	27	37.0	60	38	10/110
YT-21047	27	27	38.8	60	38	6/66
YT-21050	30	27	42.8	60	38	6/66
YT-21052	32	27	44.8	60	38	6/66

Insulated hexagon socket


3/8" CrV 1000 V



YATO	Ø	size (mm)	L (mm)	
YT-21080	3/8"	4	75	6
YT-21081	3/8"	5	75	6
YT-21082	3/8"	6	75	6
YT-21083	3/8"	8	75	6

Insulated hexagon socket

1/2" CrV 1000 V



YATO	Ø	Ø (mm)	L (mm)	torque / moment obrotowy max. (Nm)	
YT-21085	1/2" (12.7 mm)	4	120	16.0	18/144
YT-21086	1/2" (12.7 mm)	5	120	30.0	18/144
YT-21087	1/2" (12.7 mm)	6	120	52.0	18/144
YT-21088	1/2" (12.7 mm)	8	120	120.0	18/144
YT-21089	1/2" (12.7 mm)	10	120	220.0	18/144

Insulated cable cutters

CrV 1000 V



YATO	size	L (mm)	
YT-21141	80mm ²	250	6

Insulated ratcheting cable cutters

CrV 1000 V



YATO	size	L (mm)	
YT-21180	240mm ²	240	1
YT-21181	380mm ²	330	1

Insulated electrician's scissor

CrV 1000 V



YATO	size	L (mm)	
YT-21200	6"	160	6

Insulated cable cutters

CrV 1000 V



YATO	size	L (mm)	
YT-21145	250mm ²	250	1
YT-21146	500mm ²	250	1

Insulated cable cutters


CrV 1000 V



YATO	size (mm)	L (mm)	
YT-21210	50	180	6

Insulated plastic clamp

1000 V



YATO	L (mm)	
YT-21190	150	6

Insulated bolt cutters

CrV 1000 V



YATO	size	L (mm)	
YT-21147	24"	600	1

Insulated cable knives

CrV 1000 V



YATO	size (mm)	L (mm)	
YT-21211	38	155	6

Insulated plastic clamp

1000 V



YATO	L (mm)	
YT-21191	200	6

Wire stripping pliers



YATO	size	cutting size	
YT-21140	6"(160mm)	0.5-2.6mm	6/60

Insulated plier sets



YATO	product name	size	
YT-39604	combination plier	8"(200mm)	1/20
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	

Insulated plier sets



YATO	product name	size	
YT-39605	combination plier	8"(200mm)	1/20
	long nose plier	6"(160mm)	
	long nose plier	6"(160mm)	
	cable cutter	6"(160mm)	

Insulated plier sets




YATO	product name	size	
YT-39622	combination plier	8"(200mm)	1/12
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	
	water pump plier	10"(250mm)	

Insulated plier sets



YATO	product name	size	
YT-39623	combination plier	8"(200mm)	1/12
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	
	cable cutter	6"(160mm)	

Insulated plier sets




YATO	product name	size	
YT-39624	combination plier	8"(200mm)	1/8
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	7"(180mm)	
	cable cutter	6"(160mm)	

Insulated plier sets



YATO	product name	size	
YT-39626	combination plier	7"(180mm)	1/8
	diagonal side cutting pliers	6"(160mm)	
	long nose plier	6"(160mm)	
	wire stripping plier	6"(160mm)	

Insulated plier sets



YATO	product name	size	
YT-39628	combination plier	7"(180mm)	1/8
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	7"(180mm)	
	water pump plier	10"(250mm)	

Insulated plier sets



YATO	product name	size	
YT-39630	combination plier	8"(200mm)	1/8
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	6"(160mm)	
	screwdriver	PH1x80mm	
	screwdriver	PH2x100mm	
	screwdriver	4.0x100mm	
	screwdriver	5.5x125mm	
	VDE tester	4x190mm	

Plier sets

4 PCS CrV 1000 V



YATO 	product name	size	
YT-39627	combination plier	7"(200mm)	1/8
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	
	wire stripping plier	6"(160mm)	

Plier sets

4 PCS CrV 1000 V



YATO 	product name	size	
YT-39629	combination plier	7"(180mm)	1/8
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	7"(180mm)	
	water pump plier	10"(250mm)	

Plier sets

8 PCS 1000 V DIN 5745



YATO	product name	size	
YT-39631	combination plier	8"(200mm)	1/8
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	6"(160mm)	
	screwdriver	PH1x80mm	
	screwdriver	PH2x100mm	
	screwdriver	4.0x100mm	
	screwdriver	5.5x125mm	
	VDE tester	3x140mm	

Plier sets

3 PCS CrV 1000 V



YATO	product name	size	
YT-39601	combination plier	7"(180mm)	1/20
	long nose plier	7"(180mm)	
	diagonal side cutting pliers	8"(200mm)	

Plier sets

4 PCS CrV 1000 V



YATO	product name	size	
YT-39620	combination plier	8"(200mm)	1/12
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	
	wire stripping plier	6"(160mm)	

Plier sets

4 PCS CrV 1000 V



YATO	product name	size	
YT-39625	combination plier	8"(200mm)	1/8
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	7"(180mm)	
	cable cutter	6"(160mm)	

Plier sets

3 PCS CrV 1000 V



YATO	product name	size	
YT-39602	combination plier	8"(200mm)	1/20
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	

Plier sets

4 PCS CrV 1000 V



YATO	product name	size	
YT-39621	combination plier	8"(200mm)	1/12
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	
	water pump plier	10"(250mm)	

Plier sets

3 PCS CrV 1000 V



YATO	product name	size	
YT-39600	combination plier	7"(180mm)	1/20
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	8"(200mm)	

Plier sets

3 PCS CrV 1000 V



YATO	product name	size	
YT-39603	combination plier	8"(200mm)	1/20
	long nose plier	6"(160mm)	
	wire stripping plier	6"(160mm)	

Insulated screwdriver

1000 V



PLASTIC HANGER

YATO	+	L (mm)	shaft(mm)	
YT-28125	PZ1	80	5.5	12/204
YT-28126	PZ2	100	6.5	6/252

Insulated tool set

3/8" 1000 V CrV



- 3/8" :8,10,12,13,14,17,19,22mm;
 3/8" (6",10");
 3/8" (9.5 mm);
 3/8" (210 mm);
 3/8" (4,5,6,8 mm);

YATO
YT-3863V 1/6

Insulated tool set

1000 V CrV



- 1/4" :5/16"; 3/8" :1/2"; 9/16";
 3/8" :7,8,10,12,14;
 3/8" (10 mm);
 7 mm;8 mm;10 mm;12 mm;14 mm;
 L (200 mm);
 L (165 mm);
 L (220 mm);
 L (220 mm);
 0.8x4x100mm;1.0x5.5x125mm;
 PH1 x100mm; PH2x100;
 3/8" (10 mm);
 3/8" (10 mm);

YATO
YT-3875V 1/4

VDE Insulated screwdrivers set

50 PCS CrV 1000 V

NYLON CASE
& POLYBAG



- 2.0,2.5,3.0,3.5,4.0,5.5,6.5mm
 PH0x100,PH1x100,PH2x100
 PZ0,PZ1,PZ2
 T6,T8,T9,T10,T15,T20,T25,T27,T30
 H2.5,H3.0,H4.0,H5.0,H6.0
 R1,R2
 TRI1,TRI2,TRI3,TRI4
 TORO4,TORO6,TORO8,TORO10
 M4,M5,M6
 4,6,8,10
 6,3,8,1
 1pc
 1pc

Voltage tester : 1pc
hand shank : 1pc

YATO
YT-28293 10

Insulated tool set

1/2" 1000 V CrV



- 1/2" :10,11,12,13,14,17,19,22,24,27,30mm;
 1/2" (5.5",10");
 1/2" (12.5 mm);
 1/2" (210 mm);
 1/2" (4,5,6,8,10 mm);

YATO
YT-3869V 1/6

VDE Insulated screwdrivers set

12 PCS CrV 1000 V

NYLON CASE
& POLYBAG






- 2.0,2.5,3.0,3.5,4.0,5.5,6.5mm
 PH0x100,PH1x100,PH2x100

YATO
YT-28290 24

49 pcs insulated tool set

GB Insulated tool set



- 1/2" :10,11,12,13,14,16,17,18,19,21,22,24,mm;
- 1/2" (6",10"); 1/2" (250 mm);
- 250 mm; 160mm;
- 200 mm; CrV 55; 160 mm; CrV 55;
- 200 mm; CrV 55; 250 mm; CrV;
- 10,11,12,13,14,17,19,21,22,24mm;
- 10,13,14,17,19,21mm;
- 3x75,4x100,5.5x125,6.5x150,8x175mm;
- PH1x80,PH2x100,PH3x150mm;
- 19mm x 20mm; 4x190 mm;
- 250 mm; 50x180 mm;

YATO	size(mm)	
YT-21295	559x351x229	1

16 pcs VDE soceks set



- 3/8" :8,10,11,12,13,14,17,19mm;
- 3/8" (6",10");
- 3/8" (200 mm);
- 3/8" (200 mm);
- 3/8" (4,5,6,8 mm);



YATO		
YT-21280		1/4

20 pcs VDE soceks set



- 1/2" :10,11,12,13,14,17,19,22,24,27,32mm;
- 1/2" (6",10");
- 1/2" (250 mm);
- 1/2" (200 mm);
- 1/2" (4,5,6,8,10 mm);



YATO		
YT-21284		1/4

Insulated tools set



YATO	size (mm)		
YT-55278	905x685x455	50	1

Insulated tools set



YATO	size (mm)		
YT-55305	958x766x465	71	1

Insulated tools set



YATO	size (mm)	
YT-55305T1	531x391x45	1

Insulated tools set



YATO	size (mm)	
YT-55305T2	531x391x45	1

Insulated tools set



YATO	size (mm)	
YT-55305T3	531x391x4.5	1